


Alameda County COVID-19 Vaccine Community Advisory Group

COVAX@acgov.org

Meeting 22
April 12, 2022



La siguiente presentación tiene servicio de interpretación al Español.

Para iniciar esta función:

1. Haga clic en el icono de Interpretación, el símbolo de un globo o mundo
2. Seleccione Spanish/Español como su idioma


- Opcional: Para escuchar solo el audio en Español, haga clic sobre "Mute Original Audio"

The following presentation has interpretation in Spanish.

To start this function:

1. Click the Interpretation icon, the globe or world symbol
2. Select Spanish as your language

- Optional: To listen to only Spanish audio, click on "Mute Original Audio"



For PC and Android





For iPhone and Mac




Using Closed Captioning

- Click **Closed Caption** in the controls at the top or bottom of your screen
- After selecting Closed Caption, you will see the captioning at the bottom of your screen.
- If you need to adjust the caption size
 - Click on the arrow next to stop/start video and choose Video Settings
 - Click on Accessibility
 - Move the slider to adjust the caption size



Como Usar los Subtítulos

- Haga click sobre Closed Caption en los controles arriba en su pantalla
- Después de seleccionar “Closed Caption”, verá los subtítulos al pie de su pantalla
- Si necesita ajustar el tamaño de los subtítulos
- Haga click sobre la flecha cerca de “stop/start video” y elija “Video Settings”
 - Haga click en “Accessibility”
 - Mueva el deslizador para ajustar el tamaño de los subtítulos



Agenda

1. Housekeeping & Welcome
2. Partner Updates & Lessons & Advice from the Field
3. County Updates—What is Coming Down the Pipeline
4. Strategic Refresh

Everyone:

Please mute your microphone
when not speaking

Please ask your questions
in the Chat



2. Partner Updates & Lessons & Advice from the Field



3. County Updates—What is Coming down the Pipeline?

Donata Nilsen

Dr. Nick Moss




Epidemic Data Key Points

- 7.3 cases per 100,000 residents per day
- 1.9% test positivity
- 8,500 reported lab tests per day
- 53 hospitalized, 2 ICU
- 270 deaths since January 1st
- Metrics up slightly in past week


Visit the COVID-19 [dashboard](#) for more data

New Alameda County COVID-19 Cases by episode date




Includes City of Berkeley
 Source: CalREDIE Data Distribution Portal download April 5, 2022 (April 6 for Berkeley)

East Bay MUD COVID-19 Wastewater Surveillance Data



US Estimated Variant Distribution 4/3-4/9/22



Omicron	BA.2	VOC	87.5%	84.7-89.8%	
	B.1.1.529	VOC	12.5%	10.2-15.3%	


Highlight V... [Download Data](#)

Lineages called using pangoln v3.1.20, pangoleARN version 03/22/2022 and Scorpio v0.3.16.
 Lineage BA.1.1 and its sublineages are aggregated with B.1.1.529 at the regional level as they currently cannot be reliably called in each region.

Updated April 12, 2022

Europe

206,611,315
confirmed cases



Updated Considerations for Masking Requirement

- Would be short term measure to avert worst impacts of a wave
 - Prepare to lift if limited local severity or with CDC framework as off-ramp
- Data inputs:
 - Case rates, wastewater, outbreak cases
 - R_e for Alameda County OR region
 - Case rates overall OR in highly impacted neighborhoods
 - Wastewater signal – multiple measures over 150 SARS-CoV2 gene copies/ml
 - Local hospitalization increases even if case rates low
 - CDC Medium Community Level
- Will not limit to single threshold or measure
- Will assess Tues & Fri when state dashboards update

2nd Boosters Authorized for Some

- 2nd booster doses of Pfizer and Moderna now allowed for those 50 and up
- 2nd booster dose also allowed for immune compromised
- 3rd doses allowed for everyone who got two J&J doses
- CDC, CDPH, and the County support expanded booster availability
- Our understanding of the benefits of 4th dose still limited
 - Immunity from vaccination wanes (but still provides strong protection)
 - Severe disease after vaccination seen in older or immune compromised people
 - Israeli data suggests benefit of 4th dose for older adults
 - Per FDA, potential benefits outweigh potential risks

COVID-19 Quarantine Update

- CDPH removed quarantine recommendation for asymptomatic, exposed unvaccinated people
 - Recent variants spread quickly, making quarantine less effective
 - High rates of vaccination and prior infection lower risk of severe disease
- We want to hear from you before adopting this change locally
 - CDC still recommends quarantine for unvaccinated
 - CalOSHA is aligned with CDPH on quarantine policy
- Isolation (staying home if sick or positive) still required for people with COVID-19
- Quarantine still required in high-risk congregate settings
- AC already aligned w/ CDPH allowing exposed students to stay in school

County Updates – What is Coming Down the Pipeline


- **Masks**

- ✓ KN95 Masks order in progress
- ✓ Distribution plan
- ✓ Recommended criteria/priorities




- **Test Kit Distribution**

- ✓ We continue to support priority settings with the supplies we have
- ✓ Assessing what may be needed in the future



- **Treatment Navigation**

- ✓ Test to Treat Pilot



- **Vaccine**

- ✓ Vaccinations widely available
- ✓ 2nd Booster now available at our Community POD Sites on a walk-up basis, Pop Up PODs, LTCFs, At Home Vaccinations



4. Strategic Refresh

Donata Nilsen




Alameda County's COVID Response

- **What We Have Done**
- **Where We Are Now**
- **Where We Are Going This Year**
- **Where We Will Land**




Community Testing

- Exceeded statewide test rate of 3100 tests per day - Ranging from 4,500/day – 27,000/day (Omicron)
- Built a community testing network
- Developed messaging campaigns that met communities where they were at
- Developed a testing learning community




Outbreak Investigations

- Special Settings Outbreaks Investigated: 1,480
- Long Term Care Facilities: 497 outbreaks
- Santa Rita Jail: 112 Exposure Events



Case Investigations & Community Resources

- 65,673 case interviews completed
- 6,879 households served by CRT
- 4,871 eligible food deliveries
- 293 families received diapers
- 5,985 Iso Care Kits delivered (12/20 - 11/21)
- 700+ ARCH stipend checks mailed in 2022




Community Vaccinations

- Doses administered: 263,936; includes 172 LTCFs
- DOOR: 108,752 Door Knocks; 27,753 Conversations
- 10% increase in vaccinations in priority zip codes
 - 6 community partnerships
- Points of Dispensing (PODs) in over 52 locations, supported by 3,208 volunteers and 64 staff!




Actual Cases




Where Are We Going?

- Possible Scenarios – More Variants & Future COVID Waves
- California SMARTER Framework
- Alameda County SMARTER
- Learning From Our Response
- COVID Strategic Refresh



Possible Future?



CALIFORNIA SMARTER



THE NEXT PHASE OF CALIFORNIA'S COVID-19 RESPONSE

SHOTS

Vaccines are the most powerful weapon against hospitalizations and serious illness.

MASKS

Properly worn masks with good filtration help slow the spread of COVID-19 or other respiratory viruses.

AWARENESS

We will continue to stay aware of how COVID-19 is spreading, evolving variants, communicate clearly how people should protect themselves, and coordinate our state and local government response.

READINESS

COVID-19 is not going away and we need to be ready with the tools, resources, and supplies we will need to quickly respond and keep public health and the health care system well prepared.

TESTING

Getting the right type of tests - PCR or antigen - to where they are needed most. Testing will help California minimize the spread of COVID-19.

EDUCATION

California will continue to work to keep schools open and children safely in classrooms for in-person instruction.

RX

Evolving and improving treatments will become increasingly available and critical as a tool to save lives.

Alameda County SMARTER

Shots

- ✓ Boosters, 6m-4yr, unvaccinated
- ✓ Outreach to pediatric providers
- ✓ Increase Pop-up PODs
- ✓ Expand Homebound to At-Home Vaccinations

Masks

- ✓ Access for low-income communities

Awareness

- ✓ Surveillance
- ✓ HPCP, Comms Team, Dashboards, CAG

Readiness

- ✓ Tools, Resources supplies
- ✓ DSW program with staff skills database
- ✓ DSW training for ICS roles

Testing

- ✓ POC Antigen, PCR, Home Test Kits

Education

- ✓ Coordination with CHSC, ACOE, CYCS Outbreak Teams to keep schools open

Rx

- ✓ Test to Treat – link testing to treatment resources



THANK YOU!

COVID-19 Vaccine

covid-19.acgov.org/vaccines

(510) 208-4829

COVID-19 Testing

covid-19.acgov.org/testing

@Dare2BWell



WAYS TO STAY INFORMED



Community Advisory Group (CAG)

2nd Tues. of the month, 5:30-7:00 PM; next on 5/10

covid-19.acgov.org/community-advisory-group



Public Health Commission

2nd Thurs. of the month, 6:00-8:00 PM; next on 4/14

acphc.wordpress.com



Health Care Services Agency (HCSA)

COVID-19 Updates

Includes presentations & newsletters

covid-19.acgov.org/response



Extra Slides



Boosters Now Recommended for 12+



Get boosted!
**12 + are eligible
for COVID - 19
boosters**



BE Well
ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY @Dare2BWell



G ET **VAXXED AND BOOSTED**
U PGRADE YOUR **MASK**
(FIT AND FILTRATION MATTER A LOT!)
T EST FOR
EARLY SYMPTOMS, EXPOSED
CONTACT, PRE/POST RISKY EVENTS
S TAY HOME IF **SICK**
I MPROVE
INDOOR **VENTILATION AND
AIR-FILTRATION**

BE Well
@Dare2BWell ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY

ISOLATION + QUARANTINE GUIDELINES

TESTED POSITIVE

(Everyone)



Stay home for at least 5 days



Wear a well-fitting mask around others for a total of 10 days



ISOLATION ENDS:

After day 5 with negative test AND if symptoms are not present, fever free or other symptoms are resolving OR after day 10 without a test if fever free and symptoms are resolving



EXPOSED

(Unvaccinated or not boosted but booster-eligible)



Stay home for at least 5 days then test on day 5



Wear a well-fitting mask around others for a total of 10 days



If testing positive, follow isolation recommendations OR if symptoms develop, test and stay home



QUARANTINE ENDS:



After day 5 with negative test AND if symptom free OR after day 10 without a test if symptom free



EXPOSED

(Boosted or vaccinated but not yet booster-eligible)



Test on day 5



Wear a well-fitting mask around others for a total of 10 days



If testing positive, follow isolation recommendations OR if symptoms develop, test and stay home



@Dare2BWell

ALAMEDA COUNTY
HEALTH CARE
SERVICES AGENCY





*Vaccinated, booster eligible but unboosted workers may attend work during quarantine with test between day 3 and 5



When choosing a COVID-19 testing site

LESS is More

Make sure the site you choose is:



	L egal	Test kits have received FDA emergency use authorization. Testing sites do not need your social security number or immigration status.
	E thical	Your test should be free, affordable or billable to insurance. Any additional cost should be clearly explained.
	S afe	Staff wear medical grade protective equipment. Gloves are worn and changed in-between clients. Testing staff implements COVID-19 safety protocols including distancing.
	S ecure	Testing site and lab information are available and you should know how your personal information will be used.



Questions or concerns? Please send to: ncov@acgov.org

Alameda County Health Care Service Agency


Updated State of California Masking Requirements

	REQUIRED	STRONGLY RECOMMENDED	RECOMMENDED	OPTIONAL	
Vaccinated & Unvaccinated	Public Indoor (Effective end of day February 28)		<input checked="" type="checkbox"/>		
	Schools & Childcare (Effective end of day March 11)		<input checked="" type="checkbox"/>		
	Health Care	<input checked="" type="checkbox"/>			
	Long-Term Care	<input checked="" type="checkbox"/>			
	Jails & Prisons	<input checked="" type="checkbox"/>			

COVID-19 Vaccine Timing by Age



Routine schedule for most persons



Routine Schedule

Age	Vaccine	Primary Doses	Booster Dose	Consider 2nd Booster
5-11	Pfizer-Pediatric (5-11)			
12+	Pfizer/Comirnaty (12+)			
18+	Moderna/Spikevax			
18+	Johnson & Johnson Pfizer/Moderna preferred*			

^ An 8-week interval may be preferable for some people, especially for males 12-39 years.


* Although use of mRNA COVID-19 vaccines is preferred, the Janssen vaccine may be offered in [some situations](#).

View [Interim Clinical Considerations for Use of COVID-19 Vaccines](#) for details. Schedule is subject to change.

COVID-19 Vaccine Timing by Age



Schedule if moderately or severely immunocompromised



Schedule if Moderately or Severely Immunocompromised

Age	Vaccine	Primary Doses	Booster Dose	Consider 2nd Booster
5-11	Pfizer-Pediatric (5-11)			
12+	Pfizer/Comirnaty (12+)		1st Booster Ages 12-17: Pfizer 18+: Pfizer/Moderna (mRNA preferred) or J&J*	2nd Booster Ages 12-17: Pfizer 18+: Moderna/Pfizer
18+	Moderna/Spikevax			
18+	Johnson & Johnson Pfizer/Moderna preferred*			

*Although use of mRNA COVID-19 vaccines is preferred, the Janssen vaccine may be offered in [some situations](#).
 View [COVID-19 Vaccines for Moderately or Severely Immunocompromised People](#) for details. Schedule is subject to change.